



বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়
বিভাগীয় অফিস, খুলনা



আমদানিকৃত পণ্যের ছাড়পত্র

স্মারক নং: ৩৬.০৫.৪০০০.১০২.৫১.১৫৭.২৩ / ১০২৪(১)
ট্র্যাকিং নং: CC-CMCCI-20231018-0014

তারিখ: ১৮-১০-২০২৩

ছাড়পত্র নং: KHU-CC-0000000000319

বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন আইন, ২০১৮ (২০১৮ সনের ৬৭ নং আইন) দ্বারা উহার ওপর অর্পিত ক্ষমতাবলে ইনস্টিটিউশন এতদ্বারা মেসার্স ম্যাডাম ট্রেডিং কর্পোরেশন, পুরাতন ভারালিয়া, কেরানীগঞ্জ, ঢাকা নিম্ন ছকে বর্ণিত পণ্য সংশ্লিষ্ট বাংলাদেশ মান বিডিএস অনুযায়ী পরীক্ষান্তে কৃতকার্য হওয়ায় উল্লেখিত পণ্যের অনুকূলে মানচিহ্ন (Standard Mark) ও ইনস্টিটিউশন কর্তৃক প্রদত্ত মেশিন রিডেবল কোড ব্যবহার করার জন্য ছাড়পত্র প্রদান করিতেছে। আমদানিকৃত পণ্যের অনুকূলে ছাড়পত্র প্রদানের জন্য বিল নং ০১ তারিখ ১৮-১০-২০২৩ অনুযায়ী দাবীকৃত সর্বমোট (ভ্যাটসহ) ৪০২৫.০০ (কথায়- চার হাজার পঁচিশ) টাকা রশিদ নং ১৫৩৪১৪ তারিখ ১৮-১০-২০২৩ এর মাধ্যমে আদায় করা হইয়াছে।

পণ্যের নাম	ব্রান্ড	টাইপ /সাইজ/ফ্রেজার/ ভ্যারিয়েন্ট	সংশ্লিষ্ট বাংলাদেশ মান (বিডিএস)	কান্ট্রি অফ অরিজিন	পণ্যের পরিমাণ	চালানের বিবরণ
Eye Care Products (Mascara, Eye Shadow))	BIG EYE,HUXIA	4g, 11g	1987:2021	China	578.00 Kg	LC No.: 019823010140, LC Date: 17-05-2023 Bill of Entry No.: 13805, Bill of Entry Date: 01-10-2023 Invoice Number No.: GU2906233, Invoice Number Date: 14-09-2023 Country of Export: China

বিএসটিআই এর মানচিহ্ন ও মেশিন রিডেবল কোড ব্যবহার করাসহ পণ্য মোড়কজাতকরণ বিধিমালা, ২০২১ অনুযায়ী উক্ত পণ্যের গায়ে, মোড়কে, কার্টনের গায়ে প্রয়োজনীয় তথ্য উল্লেখ পূর্বক বাজারজাত করিতে হইবে।



ইঞ্জি: মো: সেলিম রেজা
পরিচালক

বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন এর পক্ষে
ক্ষমতাপ্রাপ্ত কর্মকর্তার স্বাক্ষর ও সিল

সংযুক্তি : পরীক্ষণ প্রতিবেদন ১ (এক) কপি।



প্রাপক
স্বত্বাধিকারী/ ব্যবস্থাপনা পরিচালক

মেসার্স ম্যাডাম ট্রেডিং কর্পোরেশন
পুরাতন সারালিয়া, কেরানীগঞ্জ, ঢাকা

✓ অনুলিপিঃ

কমিশনার অব কাস্টমস

মোংলা কাস্টম হাউজ, মোংলা, বাগেরহাট।

শর্তাবলী :

- ১। উল্লেখ্য প্রতিষ্ঠানটির একই এলসি ও ইনভয়েস এর মাধ্যমে আমদানিকৃত Lip Glass & Lip Care পণ্যদুটি বিএসটিআই এর বাধ্যতামূলক ২৩৯ টি পণ্যের আওতাভুক্ত নয়। বিধায় উক্ত পণ্যের অনুকূলে ছাড়পত্র গ্রহণের বাধ্যবাধকতা নেই।



Bangladesh Standards and Testing Institution

Member ISO, OIML, APMP, BIPM & Codex Alimentarius Commission of FAO/WHO

Ministry of Industries

Government of the People's Republic of Bangladesh



Form No. CH -838		
Your Reference No. 36.05.4000.102.51.157. 23		Our Reference No. 36.05.4000.104.31.054.23.
Date: 11.10.2023	Received on: 11.10.2023	Date of Testing: - 11.10.2023 -18.10.2023 375
Sample received from: Assistant Director (CM) BSTI, Khulna.		No. of Sample: 02 (Two)
Report issued to: <input checked="" type="checkbox"/> Deputy Director (CM) BSTI, Khulna.		Reference of the specification/Literature against which the sample has been tested: As per BDS - 1987: 2021.

Subject: Testing of 02 (Two) samples of **Eye Care Products** Imported by M/S Madam Trading Corporation, Keranigonj, Dhaka. The samples were received in sealed and signed condition.

(L/C No.019823010140

Date: 17.04.23)

(Invoice No. GU2906233

Date: 14.09.23)

Sl. Nos	Description of tests	Standard Limits	Lab. regn. No. Identification Marks & brand name
			CH/861(CM)23-24
			Identification Marks: Eye Care Products (Mascara)
			Brand : BIG EYE
			Test Results.
			Reference test method
1.	Description	Eye care products either in the form of a pencil in which the slip is made of different shades in a base of petroleum jelly and beeswax or other suitable raw material used for cosmetic purpose or any other dry/powder/paste/liquid form of eye care products, e.g as eye shadow eye makeup ,mascara etc.	The sample is in the form of a pencil in which the slip is made of black shade in a base of suitable raw material used for cosmetic purpose. BDS - 1987: 2021
2.	P ^H ,10% dispersion	6.5-7.5	7.12 BDS - 1987: 2021,Annex-C
3.	Peroxide value, m.eq/1000g,Max	10.0	1.08 BDS - 1987: 2021,Annex-D
4.	Freedom from girts	To pass the test	Passes the test BDS - 1987: 2021,Annex-E
5.	Arsenic ,as As ₂ O ₃ ppm,Max	2.0	Not detected BDS - 1333,Annex-F
6.	Mercury (as Hg),Parts per million, Max	1.0	Not detected BDS - 1987: 2021,Annex-G
7.	Heavy metals (as Pb) ppm, Max	20.0	Not detected BDS - 1987: 2021,Annex-H
8.	Microbiological examination: a)Total Viable Count cfu/g, Max b) Gram negative Pathogens cfu/g, Max	1000 Less than10	< 10 cfu Less than10 BDS - 1869
9.	Marking & Labeling	Mfg, & Exp. date, Net wt. and batch or code no. Address of Country Origin	Mfg.dt— Absent; Exp. dt— Absent; Net wt: - 4g; Batch no. - Absent; Address of Country Origin- Absent. BDS - 1987: 2021

Remarks: The sample bearing Lab. Regn. No. **CH/861 (CM) 23-24 conforms** to the requirements of the specification in respect of above tests.

Tested by

Angu
18.10.23

Anguman Ara

Senior Analyst (Chemical)

Ratam
18.10.23

Authorized Signatory

A.B.M RAISUL ALAM

Assistant Director (Chemical)

BSTI, Khulna

i) The results reported above pertain only to the sample supplied in these Laboratories.

ii) This report or any part thereof should not be published without prior permission of the issuing authority. Any overwriting / erasing in the test results should not be acceptable. Overtyping / erasing in the test result must have to be reported to the issuing authorities as early as possible.

iii) Any complain about test report will not be acceptable after one month from the date of issuing of the said report.

iv) The unsent portion of the sample may be auctioned / disposed off after three months from the date of issue of the said report.

Page 01 of 02

Divisional Office : 62, Old Jashore Road, Khalishpur, Khulna-9000. Phone: 041-762152, 762830, 761542, 763592

E-mail: bstikhulna2@gmail.com, Website: <http://www.bsti.khulnadiv.gov.bd/>



Bangladesh Standards and Testing Institution

Member ISO, OIML, APMP, BIPM & Codex Alimentarius Commission of FAO/WHO

Ministry of Industries

Government of the People's Republic of Bangladesh



Form No. CH -839		
Your Reference No. 36.05.4000.102.51.157. 23		Our Reference No. 36.05.4000.104.31.054.23.
Date: 11.10.2023	Received on: 11.10.2023	Date of Testing: - 11.10.2023 –18.10.2023
Sample received from: Assistant Director (CM) BSTI, Khulna.		No. of Sample: 02 (Two)
Report issued to: Deputy Director (CM) BSTI, Khulna.		Reference of the specification/Literature against which the sample has been tested: As per BDS - 1987: 2021.

Subject: Testing of 02 (Two) samples of **Eye Care Products** Imported by M/S Madam Trading Corporation, Keranigonj, Dhaka. The samples were received in sealed and signed condition.

(L/C No.019823010140 Date: 17.04.23)
(Invoice No. GU2906233 Date: 14.09.23)

Sl. Nos	Description of tests	Standard Limits	Lab. regn. No. Identification Marks & brand name	Reference test method
			CH/862(CM)23-24	
			Identification Marks: Eye Care Products (Eye Shadow)	
			Brand : HUXIA	
			Test Results.	Reference test method
1.	Description	Eye care products either in the form of a pencil in which the slip is made of different shades in a base of petroleum jelly and beeswax or other suitable raw material used for cosmetic purpose or any other dry/powder/paste/liquid form of eye care products, e.g as eye shadow eye makeup ,mascara etc.	The sample is in the form of a pencil in which the slip is made of black shade in a base of suitable raw material used for cosmetic purpose.	BDS - 1987: 2021
2.	Melting point, °C,Min	50.0	71.0	BDS - 1987: 2021,Annex-B
3.	pH, 10% dispersion	6.5-7.5	6.98	BDS - 1987: 2021,Annex-C
4.	Freedom from girts	To pass the test	Passes the test	BDS - 1987: 2021,Annex-E
5.	Arsenic ,as As ₂ O ₃ ppm,Max	2.0	Not detected	BDS - 1333,Annex-F
6.	Mercury (as Hg),Parts per million, Max	1.0	Not detected	BDS - 1987: 2021,Annex-G
7.	Heavy metals (as Pb) ppm, Max	20.0	Not detected	BDS - 1987: 2021,Annex-H
8.	Microbiological examination: a) Total Viable Count cfu/g, Max b) Gram negative Pathogens cfu/g, Max	1000 Less than10	< 10 cfu Less than10	BDS - 1869
9.	Marking & Labeling	Mfg. & Exp. date, Net wt. and batch or code no. Address of Country Origin	Mfg.dt— 05/23; Exp. dt— 05/27; Net wt: - 11g; Batch no. – Absent; Address of Country Origin- China.	BDS - 1987: 2021

Remarks: The sample bearing Lab. Regn. No. **CH/862 (CM) 23-24** conforms to the requirements of the specification in respect of above tests.

Tested by
Angu
18.10.23
Anguman Ara

Senior Examiner (Chemical)

Ratam
18.10.23
Authorized Signatory

A.B.M RAISUL ALAM
Assistant Director (Chemical)

These results reported above pertain only to the sample supplied in these Laboratories.

- This report or any part thereof should not be published without prior permission of the issuing authority. Any overwriting / erasing in the test result must have to be reported to the issuing authorities as early as possible.
- Any complain about test report will not be acceptable after one month from the date of issuing of the said report.
- The unspent portion of the sample may be auctioned / disposed off after three months from the date of issue of the said report.



Bangladesh Standards and Testing Institution
Divisional Office, Khulna
Ministry of Industries
Government of the People's Republic of Bangladesh
62 Old Jashore Road, Khalishpur, Khulna-9000



Phone: 041-762152, 762830, 761542, 763592, E-mail: khulna@bsti.gov.bd, bstikhulna2@gmail.com, Website: www.bsti.khulnadiv.gov.bd

Page 1 of 2

TEST REPORT

Customer's Reference No: 36.05.4000.102.51.157.23	Lab Reference No: 36.05.4000.105.31.030.23.৯৭
Date of receipt of sample: 11/10/2023	Date of testing: 11/10/2023 - 17/10/2023
Identification of test items: PH/136(CM)/22-23, Eye Care Products (Mascara)	Sampling plan: Not mentioned.
Brand: Big Eye, C/O: China. (Stated)	
Imported by: M/S Madam Trading Corporation, Puraton Varalia, Keraniganj, Dhaka.	Test method used: BDS 1987:2021
LC No.: 019823010140 Date: 17.04.23 Invoice No.: GU2906233 Date: 14.09.23	
Name and address of customers: Deputy Director (CM), BSTI, Khulna.	

Condition of the test item: Sample was received in good condition with sealed and signed.

Sl. No.	Description of Tests	Standard Limits	Test Results	Remarks
1.	Diameter of slip in mm	-	-	-
2.	Casing	Shall be made of soft, straight grained, well-seasoned wood or any other suitable material. When sharpened with a sharpener, the case shall take a smooth and even finish.	Satisfactory	Passes
3.	Glueing	The casing shall not separate after it is kept for 48 hours in a desiccator filled with water	The casing is not separated	Passes
4.	Warpage of casing in mm	Max ^m 0.5	0.06	Passes

General Remarks: The sample having Lab regn. No.PH/136(CM)/23-24 conforms to the requirements of BDS 1987:2021 in respect of the above-mentioned tests.

Tested by

17.10.23

Md. Rownok Rahman
Examiner (Physical)

Checked by

17.10.23

Syed Mostafa Kamal
Asstt. Director (Physical)

Authorized Signatory

17.10.23

S M Assequzaman
Asstt. Director (Physical)

NB:

- The results reported above pertain only to the sample supplied in these Laboratories.
- This report or any part thereof should not be published without prior permission of the issuing authority. Any overwriting/erasing in the test results should not be acceptable. Over typing/erasing in the test results must have to be reported to the issuing authorities as early as possible.
- Any complain about test report will not be acceptable after one month from the date of issuing of the said report.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



Bangladesh Standards and Testing Institution
Divisional Office, Khulna
Ministry of Industries
Government of the People's Republic of Bangladesh
62 Old Jashore Road, Khalishpur, Khulna-9000



Phone: 041-762152, 762830, 761542, 763592, E-mail: khulna@bsti.gov.bd, bstikhulna2@gmail.com, Website: www.bsti.khulnadiv.gov.bd

Page 2 of 2

TEST REPORT


Customer's Reference No: 36.05.4000.102.51.157.23	Lab Reference No: 36.05.4000.105.31.030.23.৩৭
Date of receipt of sample: 11/10/2023	Date of testing: 11/10/2023 - 17/10/2023
Identification of test items: PH/137(CM)/22-23, Eye Care Products (Eye Shadow) Brand: Huxia, C/O: China. (Stated)	Sampling plan: Not mentioned.
Imported by: M/S Madam Trading Corporation, Puraton Varalia, Keraniganj, Dhaka.	Test method used: BDS 1987:2021
LC No.: 019823010140 Date: 17.04.23 Invoice No.: GU2906233 Date: 14.09.23	
Name and address of customers: Deputy Director (CM), BSTI, Khulna.	

Condition of the test item: Sample was received in good condition with sealed and signed.

Sl. No.	Description of Tests	Standard Limits	Test Results	Remarks
1.	Diameter of slip in mm	-	-	-
2.	Casing	Shall be made of soft, straight grained, well-seasoned wood or any other suitable material	Satisfactory	Passes
3.	Glueing	-	-	-
4.	Warpage of casing in mm	-	-	-


General Remarks: The sample having Lab regn. No.PH/137(CM)/23-24 conforms to the requirements of BDS 1987:2021 in respect of the above-mentioned tests.

Tested by


17.10.23


Md. Rownok Rahman
Examiner (Physical)

Checked by


17.10.23

Syed Mostafa Kamal
Asstt. Director (Physical)

Authorized Signatory


17.10.23

S M Assequezzaman
Asstt. Director (Physical)

NB:

- The results reported above pertain only to the sample supplied in these Laboratories.
- This report or any part thereof should not be published without prior permission of the issuing authority. Any overwriting/erasing in the test results should not be acceptable. Over typing/erasing in the test results must have to be reported to the issuing authorities as early as possible.
- Any complain about test report will not be acceptable after one month from the date of issuing of the said report.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.